



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

12 July 2011
EMA/HMPC/262766/2010
Committee on Herbal Medicinal Products (HMPC)

Community herbal monograph on *Capsella bursa-pastoris* (L.) Medikus, herba

Final

Discussion in Working Party on Community monographs and Community list (MLWP)	May 2010 September 2020 November 2010
Adoption by Committee on Herbal Medicinal Products (HMPC) for release for consultation	25 November 2010
End of consultation (deadline for comments). Comments should be provided using this template to hmpc.secretariat@ema.europa.eu	15 April 2011
Rediscussion in Working Party on Community monographs and Community list (MLWP)	May 2011
Adoption by Committee on Herbal Medicinal Products (HMPC)	12 July 2011

Keywords	Herbal medicinal products; HMPC; Community herbal monographs; traditional use; <i>Capsella bursa-pastoris</i> (L.) Medikus, herba; Bursae pastoris herba; shepherd's purse.
-----------------	---

BG (bългарски): Овчарска торбичка, стрък CS (čeština): Nař pastuří tobolky DA (dansk): Hyrdetaske DE (Deutsch): Hirtentäschelkraut EL (elliniká): EN (English): Shepherd's purse ES (espanol): Bolsa de pastor, partes aéreas de ET (eesti keel): Hiirekõrvaürt FI (suomi): FR (français): Bourse à pasteur (parties aériennes de) HU (magyar): Pásztoráska virágos hajtás IT (italiano): Borsa del pastore parti aeree	LT (lietuvių kalba): LV (latviešu valoda): Ganu plikstiņa laksti MT (malti): NL (nederlands): Herderstasje PL (polski): Ziele tasznika PT (português): Bolsa-de-pastor, partes aéreas RO (română): Iarbă de traista ciobanului SK (slovenčina): Vňař kapsičky pastierskej SL (slovenščina): Zel navadnega plešca SV (svenska): Lomme IS (islenska): NO (norsk): Gjertertaske
--	---



Community herbal monograph on *Capsella bursa-pastoris* (L.) Medikus, herba

1. Name of the medicinal product

To be specified for the individual finished product.

2. Qualitative and quantitative composition^{1,2}

Well-established use	Traditional use
	<p>With regard to the registration application of Article 16d(1) of Directive 2001/83/EC as amended</p> <p><i>Capsella bursa-pastoris</i> (L.) Medikus, herba (shepherd's purse)</p> <p>i) Herbal substance Not applicable.</p> <p>ii) Herbal preparations a) Comminuted herbal substance b) Liquid extract (DER 1:1), extraction solvent ethanol 25% V/V</p>

3. Pharmaceutical form

Well-established use	Traditional use
	<p>Comminuted herbal substance as herbal tea for oral use.</p> <p>Herbal preparations in liquid dosage forms for oral use.</p> <p>The pharmaceutical form should be described by the European Pharmacopoeia full standard term.</p>

4. Clinical particulars

4.1. Therapeutic indications

Well-established use	Traditional use
	<p>Traditional herbal medicinal product for the reduction of heavy menstrual bleeding in women with regular menstrual cycles, after serious</p>

¹ The material complies with Ph. Fr. (10^e edition) as amended by supplement no 38, 1997.

² The declaration of the active substance(s) for an individual finished product should be in accordance with relevant herbal quality guidance.

Well-established use	Traditional use
	<p>conditions have been excluded by a medical doctor.</p> <p>The product is a traditional herbal medicinal product for use in the specified indication exclusively based upon long-standing use.</p>

4.2. Posology and method of administration³

Well-established use	Traditional use
	<p>Posology</p> <p><i>Adults</i></p> <p>Use to be started 3-5 days before the menstruation and to be continued during menstrual bleeding.</p> <p>a) Comminuted herbal substance: 1-5 g as a single dose for the preparation of herbal tea, 2-4 times daily (daily dose: 3-20 g).</p> <p>b) Liquid extract: 1-4 ml as a single dose, 3 times daily (daily dose: 3-12 ml).</p> <p>The use in adolescents under 18 years of age is not recommended (see section 4.4 'Special warnings and precautions for use').</p> <p>Duration of use</p> <p>If the symptoms persist during the use of the medicinal product, a doctor or a qualified health care practitioner should be consulted.</p> <p>Method of administration</p> <p>Oral use.</p>

4.3. Contraindications

Well-established use	Traditional use
	Hypersensitivity to the active substance.

4.4. Special warnings and precautions for use

Well-established use	Traditional use
	The use in adolescents under 18 years of age is not recommended because of concerns requiring

³ For guidance on herbal substance/herbal preparation administered as herbal tea or as infusion/decoction/macerate preparation, please refer to the HMPC 'Glossary on herbal teas' (EMA/HMPC/5829/2010 Rev.1).

Well-established use	Traditional use
	<p>medical advice.</p> <p>If the symptoms worsen during the use of the medicinal product, a doctor or a qualified health care practitioner should be consulted.</p> <p>For extracts containing ethanol, the appropriate labelling for ethanol, taken from the 'Guideline on excipients in the label and package leaflet of medicinal products for human use', must be included.</p>

4.5. Interactions with other medicinal products and other forms of interaction

Well-established use	Traditional use
	None reported.

4.6. Fertility, pregnancy and lactation

Well-established use	Traditional use
	<p>Safety during pregnancy and lactation has not been established. In the absence of sufficient data, the use during pregnancy and lactation is not recommended.</p> <p>No fertility data available.</p>

4.7. Effects on ability to drive and use machines

Well-established use	Traditional use
	No studies on the effect on the ability to drive and use machines have been performed.

4.8. Undesirable effects

Well-established use	Traditional use
	<p>None known.</p> <p>If adverse reactions occur, a doctor or a qualified health care practitioner should be consulted.</p>

4.9. Overdose

Well-established use	Traditional use
	No case of overdose has been reported.

5. Pharmacological properties

5.1. Pharmacodynamic properties

Well-established use	Traditional use
	Not required as per Article 16c(1)(a)(iii) of Directive 2001/83/EC as amended.

5.2. Pharmacokinetic properties

Well-established use	Traditional use
	Not required as per Article 16c(1)(a)(iii) of Directive 2001/83/EC as amended.

5.3. Preclinical safety data

Well-established use	Traditional use
	Not required as per Article 16c(1)(a)(iii) of Directive 2001/83/EC as amended, unless necessary for the safe use of the product. Tests on reproductive toxicity, genotoxicity and carcinogenicity have not been performed.

6. Pharmaceutical particulars

Well-established use	Traditional use
	Not applicable.

7. Date of compilation/last revision

12 July 2011